



EVOTECH®
P E R F O R M A N C E


www.evotech-performance.com


Suzuki Hayabusa Garmin Satnav Mount
Installation Instruction




- Ⓐ 1 x Main Plate
- Ⓑ 1 x Pivot Plate
- Ⓒ 1 x Sub Mounting Bracket
- Ⓓ 2 x M5 x 8mm Black Button Head Bolts
- Ⓔ 2 x Locking Washer
- Ⓕ 2 x M5 Black Washer
- Ⓖ 2 x M5 x 12 Caphead Bolt
- Ⓗ 4 x M4 x 10mm Black Button Head Bolts
- ⒶⒶ 2 x M8 x 50mm Caphead
- ⒷⒷ 2 x Spacer

EVOTECH[®]
P E R F O R M A N C E










BB

Repeat
Both Sides





Repeat
Both Sides





Repeat
Both Sides





Manufacturers Torque
Specification
(Nm)

























ESSENTIAL CHECKS



It is recommended that periodic inspections are made to ensure that all bolts are tightened to the specified torque settings.

Should the bike be involved in an accident a thorough inspection should be made and any components that have taken an impact, no matter how small, be replaced

P E R F O R M A N C E



EVOTECH®
P E R F O R M A N C E

www.evotech-performance.com